



Verisana LAB · c/o Brian Kalish · 818 N Quincy Street ·  
Unit 806 · Arlington VA 22203

**John Smith**  
Sample Street  
Anytown

**Surname,  
First name** Smith, John

**DOB** 01/01/1990

**Sex** male

**Laboratory #** 10000008

**Date collected** 01/01/2019

**Date received** 01/01/2019


**Report date** 01/03/2019

## Laboratory report

Enclosed you will find the results of your laboratory examination. In addition to your results you will also receive a brief summary of the correlating effects, regarding the tested parameters. These are compiled without any knowledge on the clinical background and as such, may only be used as an interpretation aid. In case of health problems, please consult a doctor or practitioner for medical treatment and accompaniment for making the best decisions for your health. We explicitly warn against beginning, suspending or changing any medication or therapy without consulting your doctor or practitioner.

**Test:** DHEA

**Sample material:** saliva

Analyte	Result	Reference range	Result
DHEA (morning value)	210,0 pg/ml	150-620 pg/ml	

The DHEA (morning) value is within the normal range. DHEA is produced mainly in the adrenal cortex. It is a primary substance for the production of testosterone and estradiol. The DHEA level depends on the daily rhythm and age. From the age of 25 the DHEA production continually decreases.

Yours sincerely  
Your laboratory team

Verisana LAB

c/o Brian Kalish  
818 N Quincy Street  
Unit 806  
Arlington VA 22203

Email: [contact@verisana.com](mailto:contact@verisana.com)  
Phone: (703) 722 6067  
[www.verisana.com](http://www.verisana.com)